

11.01.08-BGR

ЕПС мазилка за лепене

JUBIZOL

1. ,

(JUBIZOL S70 (JUBIZOL EPS) JUBIZOL

)

.

(, ,

2.

20 kg

3.

(Kg/dm ³)	()	~1,60
()	()	2 3
(mm)		<2 () <3 ()
T = +20°C, = 65%	()	24 48
+20°C, = 65 %	T =	~24
()	()	- 24 mm
EN ISO 7783-2	(-)	<50
	S _d (d = 3 mm) (m)	<0,14 I ()
EN 1062-3 (kg/m ² h ^{0.5})	w ₂₄	<0,10 III ()
() (MPa)	28	>0,25
	(2)	>0,08



	(7)	>0,25
28) (MPa)		>0,08
	(2)	>0,03
	(7)	>0,08

4.

10 mm. - 3 m

EMULZIJA (AKRIL EMULZIJA : = 1 : 1).

AKRIL

2 3

(T = +20 °C, = 65 %) -

1

AKRIL EMULZIJA 90 . 100 g/m²

(16).

6.

(20 kg)

4 l

10

2 3

7.

4 6

(

8 10 mm .

).

30%



15 cm.

2 3

80% +5°C +35°C,
(~ 30 km/h)

2 3

()

3,5 do 5 kg/m²,

8.

(" ")

~ 2 mm.
JUBIZOL. 2 3
~ 1 mm

1 2

80% +5°C +35°C,
(~ 30

km/h)

~ 4,5 kg/m²

9.

09 04).

17


10.

(Cr 6+) 2 ppm.

Xi



(10 - 15) ,

	<p>Xi</p> 
	<p>R36/38 R41</p> <p>S2 S24/25 S26</p> <p>S28 S37/39 S46</p>

11.

!

: - 6 .

12.


JUB
ISO 9001,

ISO 14001 OHSAS 18001.

004/2000, JUB-
ETA -

ÉTAG



JUBIZOL EPS/S70
 1404
JUB d.o.o. 1262 Dol pri Ljubljani 28 SLOVENIJA 08 1404-CPD-1074 1404-CPD-1332
ETA 06/0239 ETA 08/0236 ETAG 004

13.

: TRC-053/12-gru-tor, 21.09.2012

JUB kemi na industrija d.o.o.
Dol pri Ljubljani 28, 1262 Dol pri Ljubljani, SLOVENIJA
tel.: (01) 588 41 00 h.c., (01) 588 42 17 prodaja,
(01) 588 42 18 ali 080/15 56 svetovanje
fax: (01) 588 42 50 prodaja
e-mail: jub.info@jub.si
spletna stran: www.jub.eu

